



TYPICAL POST-TENSIONED BAND ELEVATION

- NOTES
1. FOR REINFORCEMENT SIZE AND NUMBER, SEE PLANS.
 2. L_n IS THE GREATER OF TWO CONSECUTIVE SPANS (EG. L_1 & L_2).
 3. DETAILS ABOVE APPLY UNLESS SHOWN OTHERWISE ON PLANS.
 4. FOR PRIMARY AND SECONDARY DIRECTIONS OF REINFORCEMENT, SEE PLANS.
 5. BARS MAY BE ADJUSTED SIDEWAYS TO AVOID COLUMN BARS.
 6. LONG AND SHORT TOP BARS SHALL BE PLACED ALTERNATIVELY, WITH AT LEAST 50% OF THESE BEING THE LONGER BAR, OR STAGGER TOBARS.
 7. REFER ALSO TO STANDARD NOTES.




NOTE:
REFER TO PLANS FOR SLAB REINFORCEMENT


TYPICAL LIVE END ANCHORAGE AT
SLAB EDGE (FACE STRESSING)




TYPICAL DEAD END BURSTING REINFORCEMENT




TYPICAL COUPLING BURSTING REINFORCEMENT



SECTION X - X




TYPICAL LIVE END ANCHORAGE AT
INTERNAL STRESSING POCKET
REFER PLANS FOR SLAB REINFORCEMENT




BAND BEAM TENDON LOCATION


NOTE:
REFER PLAN FOR EXACT NUMBER



TYPICAL BEAM LIGATURE COVER DETAIL




VIEW A-A



VIEW B-B

Rev	Description	By	Date	Rev	Description	By	Date	Rev	Description	By	Date	Rev	Description	By	Date
A	CONSTRUCTION ISSUE	BP	14.01.13												
5	TENDER ISSUE	BP	07.09.12												
4	TENDER ISSUE	BP	31.08.12												
3	50% C.D ISSUE	BP	11.08.12												
2	75% C.D ISSUE	BP	27.07.12												
1	50% C.D ISSUE	BP	15.06.12												

CONSTRUCTION ISSUE



irwinconsult
Level 3, 289 Wellington Parade South
East Melbourne VIC 3002
t +61 3 9622 9700 f +61 3 9650 6664
mb@irwinconsult.com.au ABN 89 050 214 694

Project
FACULTY OF ARCHITECTURE
BUILDING AND PLANNING
Client
UNIVERSITY OF MELBOURNE
PARKVILLE CAMPUS

Drawing Title TYPICAL POST TENSIONING NOTES AND DETAILS			
Date 04/16/12	Drawn B.P.	Checked D.I.	Approved B.R.
Scales at A0 1 : 20	Job No. 09ME0504	Sheet No. S552	Rev. A